

HKT LOCKING PLATE SYSTEM
HANKIL TECH MEDICAL

www.hankiltech.com



HKT LOCKING PLATE SYSTEM

Product Catalogue

www.hankiltech.com



HANKIL TECH MEDICAL

452-29 Pureundeulpanro Paltan-Myeon, Hwaseong-Si, Gyeonggi-Do, Korea (#18532)

Tel : +82-31-354-6369 / **Fax :** +82-31-354-8161

E-mail : overseas01@hankiltech.com / exporthkt@naver.com



Company Introduction

- Company Established in 1969.
- Head office in Hwaseong(Korea) in Gyeonggi-do.
- Clients spanning EU, Asia and Central and South America.
- Products ranging from implantables to transient devices in the field of orthopedics, surgical instruments.
- Core competencies include :
 - Research and product development
 - Medical device manufacturing (tooling, moulding and assembly)
 - Device technical file development
 - Development and maintenance of Quality Management



Manufacturing Services

- ISO 13485, 9001, FDA approval and CE certified manufacturing facility.
- Prototyping – Machining and 3D printing.
- Tooling – Advanced high speed CNC and MCT.
- Moulding – Plastic injection moulding, Silicone injection, transfer and compression moulding.
- Class 8 Clean room with up to 8 State of the art injection moulding machines.
- Assembly and packaging for sterilization.
- Development of manufacturing processes and process improvement.
- Supply chain management.





Introduction

Precontoured Plates

Hankil's advanced periarticular plates were developed to follow the shape of the bone.

Skillful engineers dedicated on advanced fabrication of ergonomic design with collaboration with surgeons. Furthermore precise manufacture of precontoured implants has become a proud of Hankil's craftsmanship based on over 45 years experience in medical device manufactures.


The Hankil Locking Plates closely follow the shape of the bone to create a fit that requires little or no additional bending.




Anatomical Plate



DCP Hole



Low Profile



Thin profile towards the joint line

Hankil's periarticular plate designs reduce in thickness towards the joint line to reduce the potentially irritated soft-tissue and help any additional contouring. Thin profile also allows the implant to contour automatically as the screws draw the plate toward the bone.

Product Introduction

Large Bone Plate

Locking Narrow Plate



Anodizing (Dark Gold)

No.	Item code	Hole	Length	Type
1	1031-10004	4H	70.0	SAND- ING
2	1031-10005	5H	86.0	
3	1031-10006	6H	102.0	
4	1031-10007	7H	118.0	
5	1031-10008	8H	134.0	
6	1031-10009	9H	150.0	
7	1031-10010	10H	166.0	
8	1031-10011	11H	182.0	
9	1031-10012	12H	198.0	

No.	Item code	Hole	Length	Type
10	AD1031-10004	4H	70.0	ANO- DIZ- ING
11	AD1031-10005	5H	86.0	
12	AD1031-10006	6H	102.0	
13	AD1031-10007	7H	118.0	
14	AD1031-10008	8H	134.0	
15	AD1031-10009	9H	150.0	
16	AD1031-10010	10H	166.0	
17	AD1031-10011	11H	182.0	
18	AD1031-10012	12H	198.0	

Applicable Screw *5.0 Locking Screw / 4.5 Cortical Screw

Locking Broad Plate



Anodizing (Dark Gold)

No.	Item code	Hole	Length	Type
1	1032-10006	6H	102.0	SAND- ING
2	1032-10007	7H	118.0	
3	1032-10008	8H	134.0	
4	1032-10009	9H	150.0	
5	1032-10010	10H	166.0	
6	1032-10012	12H	198.0	
7	1032-10014	14H	230.0	
8	1032-10016	16H	262.0	

No.	Item code	Hole	Length	Type
9	AD1032-10006	6H	102.0	ANO- DIZ- ING
10	AD1032-10007	7H	118.0	
11	AD1032-10008	8H	134.0	
12	AD1032-10009	9H	150.0	
13	AD1032-10010	10H	166.0	
14	AD1032-10012	12H	198.0	
15	AD1032-10014	14H	230.0	
16	AD1032-10016	16H	262.0	

Applicable Screw *5.0 Locking Screw / 4.5 Cortical Screw

Locking 'T' & 'L' Plate



Anodizing (Dark Gold)



Anodizing (Dark Gold)



Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	1033-11005	5H	70.0	T-type
2	1033-11006	6H	86.0	
3	1033-11007	7H	102.0	
4	1033-11008	8H	118.0	
5	1033-11105	5H	70.0	Right
6	1033-11106	6H	86.0	
7	1033-11107	7H	102.0	
8	1033-11108	8H	118.0	
9	1033-11205	5H	70.0	Left
10	1033-11206	6H	86.0	
11	1033-11207	7H	102.0	
12	1033-11208	8H	118.0	

No.	Item code	Hole	Length	Type
13	AD1033-11005	5H	70.0	AD / T
14	AD1033-11006	6H	86.0	
15	AD1033-11007	7H	102.0	
16	AD1033-11008	8H	118.0	
17	AD1033-11105	5H	70.0	AD / R
18	AD1033-11106	6H	86.0	
19	AD1033-11107	7H	102.0	
20	AD1033-11108	8H	118.0	
21	AD1033-11205	5H	70.0	AD / L
22	AD1033-11206	6H	86.0	
23	AD1033-11207	7H	102.0	
24	AD1033-11208	8H	118.0	

Applicable Screw *5.0 Locking Screw / 4.5 Cortical Screw (DCP Hole)

Locking 'T' & 'L' Buttress Plate



Anodizing (Dark Gold)



Anodizing (Dark Gold)



Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	1034-11006	6H	83.0	T-type
2	1034-11007	7H	99.0	
3	1034-11008	8H	115.0	
4	1034-11106	6H	85.5	Right
5	1034-11107	7H	101.5	
6	1034-11108	8H	117.5	
7	1034-11206	6H	85.5	Left
8	1034-11207	7H	101.5	
9	1034-11208	8H	117.5	

No.	Item code	Hole	Length	Type
10	AD1034-11006	6H	83.0	AD / T
11	AD1034-11007	7H	99.0	
12	AD1034-11008	8H	115.0	
13	AD1034-11106	6H	85.5	AD / R
14	AD1034-11107	7H	101.5	
15	AD1034-11108	8H	117.5	
16	AD1034-11206	6H	85.5	AD / L
17	AD1034-11207	7H	101.5	
18	AD1034-11208	8H	117.5	

Applicable Screw *5.0 Locking Screw / 4.5 Cortical Screw (DCP Hole)

Locking Distal Femur Anatomical Plate(E) – B Type



Anodizing (Dark Gold)



Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	1039-13105	5H	156.3	Right
2	1039-13106	6H	176.3	
3	1039-13107	7H	196.3	
4	1039-13108	8H	216.3	
5	1039-13109	9H	236.3	
6	1039-13110	10H	256.3	
7	1039-13205	5H	156.3	Left
8	1039-13206	6H	176.3	
9	1039-13207	7H	196.3	
10	1039-13208	8H	216.3	
11	1039-13209	9H	236.3	
12	1039-13210	10H	256.3	

No.	Item code	Hole	Length	Type
13	AD1039-13105	5H	156.3	AD / R
14	AD1039-13106	6H	176.3	
15	AD1039-13107	7H	196.3	
16	AD1039-13108	8H	216.3	
17	AD1039-13109	9H	236.3	
18	AD1039-13110	10H	256.3	
19	AD1039-13205	5H	156.3	AD / L
20	AD1039-13206	6H	176.3	
21	AD1039-13207	7H	196.3	
22	AD1039-13208	8H	216.3	
23	AD1039-13209	9H	236.3	
24	AD1039-13210	10H	256.3	

Applicable Screw *5.0 Locking Screw / 4.5 Cortical Screw (DCP Hole)

Locking Lateral Tibia Anatomical Plate - B Type



No.	Item code	Hole	Length	Type
1	1044-12309	9H	120.0	Right
2	1044-12310	10H	140.0	
3	1044-12311	11H	160.0	
4	1044-12312	12H	180.0	
5	1044-12313	13H	200.0	
6	1044-12314	14H	220.0	
7	1044-12409	9H	120.0	Left
8	1044-12410	10H	140.0	
9	1044-12411	11H	160.0	
10	1044-12412	12H	180.0	
11	1044-12413	13H	200.0	
12	1044-12414	14H	220.0	

No.	Item code	Hole	Length	Type
13	AD1044-12309	9H	120.0	AD / R
14	AD1044-12310	10H	140.0	
15	AD1044-12311	11H	160.0	
16	AD1044-12312	12H	180.0	
17	AD1044-12313	13H	200.0	
18	AD1044-12314	14H	220.0	
19	AD1044-12409	9H	120.0	AD / L
20	AD1044-12410	10H	140.0	
21	AD1044-12411	11H	160.0	
22	AD1044-12412	12H	180.0	
23	AD1044-12413	13H	200.0	
24	AD1044-12414	14H	220.0	

Applicable Screw *5.0 Locking Screw / 4.5 Cortical Screw (DCP Hole)

Locking Distal Tibia Anatomical Plate - B Type



No.	Item code	Hole	Length	Type
1	1036-13104	4H	114.0	Right
2	1036-13105	5H	131.0	
3	1036-13106	6H	148.0	
4	1036-13107	7H	165.0	
5	1036-13108	8H	182.0	
6	1036-13109	9H	199.0	
7	1036-13110	10H	216.0	
8	1036-13204	4H	114.0	Left
9	1036-13205	5H	131.0	
10	1036-13206	6H	148.0	
11	1036-13207	7H	165.0	
12	1036-13208	8H	182.0	
13	1036-13209	9H	199.0	
14	1036-13210	10H	216.0	

No.	Item code	Hole	Length	Type
15	AD1036-13104	4H	114.0	AD / R
16	AD1036-13105	5H	131.0	
17	AD1036-13106	6H	148.0	
18	AD1036-13107	7H	165.0	
19	AD1036-13108	8H	182.0	
20	AD1036-13109	9H	199.0	
21	AD1036-13110	10H	216.0	
22	AD1036-13204	4H	114.0	AD / L
23	AD1036-13205	5H	131.0	
24	AD1036-13206	6H	148.0	
25	AD1036-13207	7H	165.0	
26	AD1036-13208	8H	182.0	
27	AD1036-13209	9H	199.0	
28	AD1036-13210	10H	216.0	

Applicable Screw *3.5 Locking Screw (Head) / 5.0 Locking Screw (Shaft) / 4.5 Cortical Screw or 4.0 Cancellous Screw (DCP Hole)

Locking Distal Tibia Medial Anatomical Plate - B Type



No.	Item code	Hole	Length	Type
1	1045-13103	3H	105.0	Right
2	1045-13104	4H	123.0	
3	1045-13105	5H	141.0	
4	1045-13106	6H	159.0	
5	1045-13107	7H	177.0	
6	1045-13108	8H	195.0	
7	1045-13109	9H	213.0	
8	1045-13203	3H	105.0	Left
9	1045-13204	4H	123.0	
10	1045-13205	5H	141.0	
11	1045-13206	6H	159.0	
12	1045-13207	7H	177.0	
13	1045-13208	8H	195.0	
14	1045-13209	9H	213.0	

15	AD1045-13103	3H	105.0	AD / R
16	AD1045-13104	4H	123.0	
17	AD1045-13105	5H	141.0	
18	AD1045-13106	6H	159.0	
19	AD1045-13107	7H	177.0	
20	AD1045-13108	8H	195.0	
21	AD1045-13109	9H	213.0	
22	AD1045-13203	3H	105.0	AD / L
23	AD1045-13204	4H	123.0	
24	AD1045-13205	5H	141.0	
25	AD1045-13206	6H	159.0	
26	AD1045-13207	7H	177.0	
27	AD1045-13208	8H	195.0	
28	AD1045-13209	9H	213.0	

Applicable Screw *3.5 Locking Screw (Head) / 5.0 Locking Screw (Shaft) / 4.5 Cortical Screw or 4.0 Cancellous Screw (DCP Hole)

Product Introduction

Small Bone Plate

Locking Small Plate



Anodizing (Dark Gold)

No.	Item code	Hole	Length	Type
1	1001-10004	4H	52.0	SAND - ING
2	1001-10005	5H	64.0	
3	1001-10006	6H	76.0	
4	1001-10007	7H	88.0	
5	1001-10008	8H	100.0	
6	1001-10009	9H	112.0	
7	1001-10010	10H	124.0	

No.	Item code	Hole	Length	Type
8	AD1001-10004	4H	52.0	ANO - DIZ - ING
9	AD1001-10005	5H	64.0	
10	AD1001-10006	6H	76.0	
11	AD1001-10007	7H	88.0	
12	AD1001-10008	8H	100.0	
13	AD1001-10009	9H	112.0	
14	AD1001-10010	10H	124.0	

Applicable Screw *3.5 Locking Screw / 3.5 Cortical Screw

Locking Small T- Plate



Anodizing (Dark Gold)

No.	Item code	Hole	Length	Type
1	1004-12006	6H	50.5	SAND - ING
2	1004-12007	7H	57.0	
3	1004-12008	8H	68.0	

No.	Item code	Hole	Length	Type
4	AD1004-12006	6H	50.5	ANO - DIZ - ING
5	AD1004-12007	7H	57.0	
6	AD1004-12008	8H	68.0	

Applicable Screw *3.5 Locking Screw / 3.5 Cortical Screw

Locking Reconstruction Plate - Straight



Anodizing (Dark Gold)

No.	Item code	Hole	Length	Type
1	1006-10004	4H	48.0	SAND - ING
2	1006-10005	5H	60.0	
3	1006-10006	6H	72.0	
4	1006-10007	7H	84.0	
5	1006-10008	8H	96.0	
6	1006-10009	9H	108.0	
7	1006-10010	10H	120.0	

No.	Item code	Hole	Length	Type
8	AD1006-10004	4H	48.0	ANO - DIZ - ING
9	AD1006-10005	5H	60.0	
10	AD1006-10006	6H	72.0	
11	AD1006-10007	7H	84.0	
12	AD1006-10008	8H	96.0	
13	AD1006-10009	9H	108.0	
14	AD1006-10010	10H	120.0	

Applicable Screw *3.5 Locking Screw / 3.5 Cortical Screw

Locking Reconstruction Plate - Curved



Anodizing (Dark Gold)

No.	Item code	Hole	Length	Type
1	1006-11004	4H	47.9	SAND - ING
2	1006-11005	5H	59.7	
3	1006-11006	6H	71.3	
4	1006-11007	7H	82.6	
5	1006-11008	8H	93.7	
6	1006-11009	9H	104.5	
7	1006-11010	10H	114.9	

No.	Item code	Hole	Length	Type
8	AD1006-11004	4H	47.9	ANO - DIZ - ING
9	AD1006-11005	5H	59.7	
10	AD1006-11006	6H	71.3	
11	AD1006-11007	7H	82.6	
12	AD1006-11008	8H	93.7	
13	AD1006-11009	9H	104.5	
14	AD1006-11010	10H	114.9	

Applicable Screw *3.5 Locking Screw / 3.5 Cortical Screw

Anatomic Midshaft Forearm Plate - A type



Anodizing (Dark Gold)

No.	Item code	Hole	Length	Type
1	1025-12004	4H	50.5	SAND - ING
2	1025-12005	5H	62.5	
3	1025-12006	6H	74.5	
4	1025-12007	7H	86.5	
5	1025-12008	8H	98.5	
6	1025-12009	9H	110.5	
7	1025-12010	10H	122.5	
8	1025-12011	11H	134.5	
9	1025-12012	12H	146.5	

No.	Item code	Hole	Length	Type
10	AD1025-12004	4H	50.5	ANO - DIZ - ING
11	AD1025-12005	5H	62.5	
12	AD1025-12006	6H	74.5	
13	AD1025-12007	7H	86.5	
14	AD1025-12008	8H	98.5	
15	AD1025-12009	9H	110.5	
16	AD1025-12010	10H	122.5	
17	AD1025-12011	11H	134.5	
18	AD1025-12012	12H	146.5	

Applicable Screw *3.5 Locking Screw / 3.5 Cortical Screw

Anatomic Midshaft Forearm Plate - R type



Anodizing (Dark Gold)

No.	Item code	Hole	Length	Type
1	1025-15004	4H	50.5	SAND - ING
2	1025-15005	5H	62.5	
3	1025-15006	6H	74.5	
4	1025-15007	7H	86.5	
5	1025-15008	8H	98.5	
6	1025-15009	9H	110.5	
7	1025-15010	10H	122.5	
8	1025-15011	11H	134.5	
9	1025-15012	12H	146.5	

No.	Item code	Hole	Length	Type
10	AD1025-15004	4H	50.5	ANO - DIZ - ING
11	AD1025-15005	5H	62.5	
12	AD1025-15006	6H	74.5	
13	AD1025-15007	7H	86.5	
14	AD1025-15008	8H	98.5	
15	AD1025-15009	9H	110.5	
16	AD1025-15010	10H	122.5	
17	AD1025-15011	11H	134.5	
18	AD1025-15012	12H	146.5	

Applicable Screw *3.5 Locking Screw

Anatomic Midshaft Forearm Plate - D type



Anodizing (Dark Gold)

No.	Item code	Hole	Length	Type
1	21404-45005	5H	64.0	SAND - ING
2	21404-45006	6H	75.0	
3	21404-45007	7H	88.0	
4	21404-45008	8H	99.0	

No.	Item code	Hole	Length	Type
5	21404-94505	5H	64.0	ANO - DIZ - ING
6	21404-94506	6H	75.0	
7	21404-94507	7H	88.0	
8	21404-94508	8H	99.0	

Applicable Screw *3.5 Locking Screw / 3.5 Cortical Screw

Locking Olecranon Plate - LOP Type



No.	Item code	Hole	Length	Type
1	1016-10410	10H	87.0	SAND-ING
2	1016-10411	11H	98.0	
3	1016-10412	12H	109.0	
4	1016-10413	13H	120.0	
5	1016-10414	14H	131.0	
6	1016-10415	15H	142.0	
7	1016-10416	16H	153.0	

No.	Item code	Hole	Length	Type
8	AD1016-10410	10H	87.0	ANO-DIZ-ING
9	AD1016-10411	11H	98.0	
10	AD1016-10412	12H	109.0	
11	AD1016-10413	13H	120.0	
12	AD1016-10414	14H	131.0	
13	AD1016-10415	15H	142.0	
14	AD1016-10416	16H	153.0	

Applicable Screw *3.5 Locking Screw / 3.5 Cortical Screw

Locking Olecranon Plate - LOP Type (A Type)



No.	Item code	Hole	Length	Type
1	1016-10509	9H	83.6	SAND-ING
2	1016-10510	10H	94.6	
3	1016-10511	11H	105.6	
4	1016-10512	12H	116.6	
5	1016-10513	13H	127.6	
6	1016-10514	14H	138.6	
7	1016-10515	15H	149.6	

No.	Item code	Hole	Length	Type
8	AD1016-10509	9H	83.6	ANO-DIZ-ING
9	AD1016-10510	10H	94.6	
10	AD1016-10511	11H	105.6	
11	AD1016-10512	12H	116.6	
12	AD1016-10513	13H	127.6	
13	AD1016-10514	14H	138.6	
14	AD1016-10515	15H	149.6	

Applicable Screw *3.5 Locking Screw

Locking Olecranon Plate - LOP2 Curved Type



Anodizing (Dark Gold)



Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	21413-12009	9H	83.6	Right
2	21413-12010	10H	94.6	
3	21413-12011	11H	105.5	
4	21413-12012	12H	116.4	
5	21413-12013	13H	127.2	
6	21413-12014	14H	138.0	
7	21413-12015	15H	148.9	
8	21413-22009	9H	83.6	Left
9	21413-22010	10H	94.6	
10	21413-22011	11H	105.5	
11	21413-22012	12H	116.4	
12	21413-22013	13H	127.2	
13	21413-22014	14H	138.0	
14	21413-22015	15H	148.9	

No.	Item code	Hole	Length	Type
15	21413-32009	9H	83.6	AD / R
16	21413-32010	10H	94.6	
17	21413-32011	11H	105.5	
18	21413-32012	12H	116.4	
19	21413-32013	13H	127.2	
20	21413-32014	14H	138.0	
21	21413-32015	15H	148.9	
22	21413-42009	9H	83.6	AD / L
23	21413-42010	10H	94.6	
24	21413-42011	11H	105.5	
25	21413-42012	12H	116.4	
26	21413-42013	13H	127.2	
27	21413-42014	14H	138.0	
28	21413-42015	15H	148.9	

Applicable Screw *3.5 Locking Screw / 3.5 Cortical Screw

Locking Radius Anatomical Bone Plate - C Type (R&L)



Anodizing (Dark Gold)



Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	1021-14112	12H	50.5	Right
2	1021-14113	13H	61.5	
3	1021-14114	14H	72.5	
4	1021-14115	15H	83.5	
5	1021-14116	16H	94.5	
6	1021-14212	12H	50.5	Left
7	1021-14213	13H	61.5	
8	1021-14214	14H	72.5	
9	1021-14215	15H	83.5	
10	1021-14216	16H	94.5	

No.	Item code	Hole	Length	Type
11	AD1021-14112	12H	50.5	AD / R
12	AD1021-14113	13H	61.5	
13	AD1021-14114	14H	72.5	
14	AD1021-14115	15H	83.5	
15	AD1021-14116	16H	94.5	
16	AD1021-14212	12H	50.5	AD / L
17	AD1021-14213	13H	61.5	
18	AD1021-14214	14H	72.5	
19	AD1021-14215	15H	83.5	
20	AD1021-14216	16H	94.5	

Applicable Screw *2.3 Locking Screw (Head) / 3.5 Locking Screw (Shaft) / 3.5 Cortical Screw (DCP Hole)

Locking Radius Anatomical Bone Plate - D Type (R&L)



Anodizing (Dark Gold)



Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	1021-15110	10H	50.5	Right
2	1021-15111	11H	61.5	
3	1021-15112	12H	72.5	
4	1021-15113	13H	83.5	
5	1021-15114	14H	94.5	
6	1021-15210	10H	50.5	Left
7	1021-15211	11H	61.5	
8	1021-15212	12H	72.5	
9	1021-15213	13H	83.5	
10	1021-15214	14H	94.5	

No.	Item code	Hole	Length	Type
11	AD1021-15110	10H	50.5	AD / R
12	AD1021-15111	11H	61.5	
13	AD1021-15112	12H	72.5	
14	AD1021-15113	13H	83.5	
15	AD1021-15114	14H	94.5	
16	AD1021-15210	10H	50.5	AD / L
17	AD1021-15211	11H	61.5	
18	AD1021-15212	12H	72.5	
19	AD1021-15213	13H	83.5	
20	AD1021-15214	14H	94.5	

Applicable Screw *2.3 Locking Screw (Head) / 3.5 Locking Screw (Shaft) / 3.5 Cortical Screw (DCP Hole)

Locking Radius Anatomical Bone Plate - E Type (R&L)



Anodizing (Dark Gold)



Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	1021-16109	9H	50.5	Right
2	1021-16110	10H	61.5	
3	1021-16111	11H	72.5	
4	1021-16112	12H	83.5	
5	1021-16113	13H	94.5	
6	1021-16209	9H	50.5	Left
7	1021-16210	10H	61.5	
8	1021-16211	11H	72.5	
9	1021-16212	12H	83.5	
10	1021-16213	13H	94.5	

No.	Item code	Hole	Length	Type
11	AD1021-16109	9H	50.5	AD / R
12	AD1021-16110	10H	61.5	
13	AD1021-16111	11H	72.5	
14	AD1021-16112	12H	83.5	
15	AD1021-16113	13H	94.5	
16	AD1021-16209	9H	50.5	AD / L
17	AD1021-16210	10H	61.5	
18	AD1021-16211	11H	72.5	
19	AD1021-16212	12H	83.5	
20	AD1021-16213	13H	94.5	

Applicable Screw * 2.3 Locking Screw (Head) / 3.5 Locking Screw (Shaft) / 3.5 Cortical Screw (DCP Hole)

Locking Radius Anatomical Bone Plate - F Type (R&L)



Anodizing (Dark Gold)



Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	1021-17108	8H	50.5	Right
2	1021-17109	9H	61.5	
3	1021-17110	10H	72.5	
4	1021-17111	11H	83.5	
5	1021-17112	12H	94.5	
6	1021-17208	8H	50.5	Left
7	1021-17209	9H	61.5	
8	1021-17210	10H	72.5	
9	1021-17211	11H	83.5	
10	1021-17212	12H	94.5	

No.	Item code	Hole	Length	Type
11	AD1021-17108	8H	50.5	AD / R
12	AD1021-17109	9H	61.5	
13	AD1021-17110	10H	72.5	
14	AD1021-17111	11H	83.5	
15	AD1021-17112	12H	94.5	
16	AD1021-17208	8H	50.5	AD / L
17	AD1021-17209	9H	61.5	
18	AD1021-17210	10H	72.5	
19	AD1021-17211	11H	83.5	
20	AD1021-17212	12H	94.5	

Applicable Screw * 2.3 Locking Screw (Head) / 3.5 Locking Screw (Shaft) / 3.5 Cortical Screw (DCP Hole)

Locking Radius Anatomical Bone Plate - Standard Type



Anodizing (Dark Gold)



Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	21402-12612	12H	50.5	Right
2	21402-12613	13H	61.5	
3	21402-12614	14H	72.5	
4	21402-12615	15H	83.5	
5	21402-12616	16H	94.5	
6	21402-22612	12H	50.5	Left
7	21402-22613	13H	61.5	
8	21402-22614	14H	72.5	
9	21402-22615	15H	83.5	
10	21402-22616	16H	94.5	

No.	Item code	Hole	Length	Type
11	21402-32612	12H	50.5	AD / R
12	21402-32613	13H	61.5	
13	21402-32614	14H	72.5	
14	21402-32615	15H	83.5	
15	21402-32616	16H	94.5	
16	21402-42612	12H	50.5	AD / L
17	21402-42613	13H	61.5	
18	21402-42614	14H	72.5	
19	21402-42615	15H	83.5	
20	21402-42616	16H	94.5	

Applicable Screw * 2.3 Locking Screw (Head) / 3.5 Locking Screw (Shaft) / 3.5 Cortical Screw (DCP Hole)

Locking Clavicle Plate - A Type



Anodizing (Dark Gold)



Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	1009-11108	8H	65.7	Right
2	1009-11109	9H	77.1	
3	1009-11110	10H	88.2	
4	1009-11111	11H	100.2	
5	1009-11112	12H	112.4	
6	1009-11208	8H	65.7	Left
7	1009-11209	9H	77.1	
8	1009-11210	10H	88.2	
9	1009-11211	11H	100.2	
10	1009-11212	12H	112.4	

No.	Item code	Hole	Length	Type
11	AD1009-11108	8H	65.7	AD / R
12	AD1009-11109	9H	77.1	
13	AD1009-11110	10H	88.2	
14	AD1009-11111	11H	100.2	
15	AD1009-11112	12H	112.4	
16	AD1009-11208	8H	65.7	AD / L
17	AD1009-11209	9H	77.1	
18	AD1009-11210	10H	88.2	
19	AD1009-11211	11H	100.2	
20	AD1009-11212	12H	112.4	

Applicable Screw * 3.5 Locking Screw / 3.5 Cortical Screw

Locking Clavicle Plate - B Type



Anodizing (Dark Gold)



Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	1010-11106	6H	58.1	Right
2	1010-11107	7H	70.1	
3	1010-11108	8H	81.5	
4	1010-11109	9H	93.5	
5	1010-11110	10H	105.4	
6	1010-11111	11H	116.9	
7	1010-11206	6H	58.1	Left
8	1010-11207	7H	70.1	
9	1010-11208	8H	81.5	
10	1010-11209	9H	93.5	
11	1010-11210	10H	105.4	
12	1010-11211	11H	116.9	

No.	Item code	Hole	Length	Type
13	AD1010-11106	6H	58.1	AD / R
14	AD1010-11107	7H	70.1	
15	AD1010-11108	8H	81.5	
16	AD1010-11109	9H	93.5	
17	AD1010-11110	10H	105.4	
18	AD1010-11111	11H	116.9	
19	AD1010-11206	6H	58.1	AD / L
20	AD1010-11207	7H	70.1	
21	AD1010-11208	8H	81.5	
22	AD1010-11209	9H	93.5	
23	AD1010-11210	10H	105.4	
24	AD1010-11211	11H	116.9	

Applicable Screw * 3.5 Locking Screw / 3.5 Cortical Screw

Locking Clavicle Plate - S Type



Anodizing (Dark Gold)



Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	1007-11105	5H	64.6	Right
2	1007-11106	6H	77.3	
3	1007-11107	7H	89.5	
4	1007-11108	8H	95.8	
5	1007-11109	9H	108.0	
6	1007-11205	5H	64.6	Left
7	1007-11206	6H	77.3	
8	1007-11207	7H	89.5	
9	1007-11208	8H	95.8	
10	1007-11209	9H	108.0	

No.	Item code	Hole	Length	Type
11	AD1007-11105	5H	64.6	AD / R
12	AD1007-11106	6H	77.3	
13	AD1007-11107	7H	89.5	
14	AD1007-11108	8H	95.8	
15	AD1007-11109	9H	108.0	
16	AD1007-11205	5H	64.6	AD / L
17	AD1007-11206	6H	77.3	
18	AD1007-11207	7H	89.5	
19	AD1007-11208	8H	95.8	
20	AD1007-11209	9H	108.0	

Applicable Screw * 3.5 Locking Screw / 3.5 Cortical Screw

Locking Clavicle Plate - L Type



Anodizing (Dark Gold)



Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	1008-11105	5H	65.3	Right
2	1008-11106	6H	78.7	
3	1008-11107	7H	91.4	
4	1008-11108	8H	104.8	
5	1008-11109	9H	118.2	
6	1008-11205	5H	65.3	Left
7	1008-11206	6H	78.7	
8	1008-11207	7H	91.4	
9	1008-11208	8H	104.8	
10	1008-11209	9H	118.2	

No.	Item code	Hole	Length	Type
11	AD1008-11105	5H	65.3	AD / R
12	AD1008-11106	6H	78.7	
13	AD1008-11107	7H	91.4	
14	AD1008-11108	8H	104.8	
15	AD1008-11109	9H	118.2	
16	AD1008-11205	5H	65.3	AD / L
17	AD1008-11206	6H	78.7	
18	AD1008-11207	7H	91.4	
19	AD1008-11208	8H	104.8	
20	AD1008-11209	9H	118.2	

Applicable Screw * 3.5 Locking Screw / 3.5 Cortical Screw

Locking Clavicle Plate - SM Type



Anodizing (Dark Gold)



Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	1009-13113	13H	65.9	Right
2	1009-13114	14H	76.8	
3	1009-13115	15H	88.0	
4	1009-13116	16H	100.8	
5	1009-13117	17H	112.9	
6	1009-13213	13H	65.9	Left
7	1009-13214	14H	76.8	
8	1009-13215	15H	88.0	
9	1009-13216	16H	100.8	
10	1009-13217	17H	112.9	

No.	Item code	Hole	Length	Type
11	AD1009-13113	13H	65.9	AD / R
12	AD1009-13114	14H	76.8	
13	AD1009-13115	15H	88.0	
14	AD1009-13116	16H	100.8	
15	AD1009-13117	17H	112.9	
16	AD1009-13213	13H	65.9	AD / L
17	AD1009-13214	14H	76.8	
18	AD1009-13215	15H	88.0	
19	AD1009-13216	16H	100.8	
20	AD1009-13217	17H	112.9	

Applicable Screw * 2.3 Locking Screw (Head) / 3.5 Locking Screw (Shaft) / 3.5 Cortical Screw

Locking Clavicle Hook Plate - Broad Type



Anodizing (Dark Gold)

Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	1018-12152	5H	78.4	Right
2	1018-12155	5H	78.4	
3	1018-12158	5H	78.4	
4	1018-12162	6H	91.1	
5	1018-12165	6H	91.1	
6	1018-12168	6H	91.1	
7	1018-12172	7H	103.5	
8	1018-12175	7H	103.5	
9	1018-12178	7H	103.5	
10	1018-12252	5H	78.4	Left
11	1018-12255	5H	78.4	
12	1018-12258	5H	78.4	
13	1018-12262	6H	91.1	
14	1018-12265	6H	91.1	
15	1018-12268	6H	91.1	
16	1018-12272	7H	103.5	
17	1018-12275	7H	103.5	
18	1018-12278	7H	103.5	

No.	Item code	Hole	Length	Type
19	AD1018-12152	5H	78.4	AD / R
20	AD1018-12155	5H	78.4	
21	AD1018-12158	5H	78.4	
22	AD1018-12162	6H	91.1	
23	AD1018-12165	6H	91.1	
24	AD1018-12168	6H	91.1	
25	AD1018-12172	7H	103.5	
26	AD1018-12175	7H	103.5	
27	AD1018-12178	7H	103.5	
28	AD1018-12252	5H	78.4	AD / L
29	AD1018-12255	5H	78.4	
30	AD1018-12258	5H	78.4	
31	AD1018-12262	6H	91.1	
32	AD1018-12265	6H	91.1	
33	AD1018-12268	6H	91.1	
34	AD1018-12272	7H	103.5	
35	AD1018-12275	7H	103.5	
36	AD1018-12278	7H	103.5	

Applicable Screw *3.5 Locking Screw / 3.5 Cortical Screw

Locking Clavicle Hook Plate - SB Type



Anodizing (Dark Gold)

Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	21411-10912	9H	78.4	Right
2	21411-10915	9H	78.4	
3	21411-10918	9H	78.4	
4	21411-11012	10H	91.1	
5	21411-11015	10H	91.1	
6	21411-11018	10H	91.1	
7	21411-11112	11H	103.5	
8	21411-11115	11H	103.5	
9	21411-11118	11H	103.5	
10	21411-20912	9H	78.4	Left
11	21411-20915	9H	78.4	
12	21411-20918	9H	78.4	
13	21411-21012	10H	91.1	
14	21411-21015	10H	91.1	
15	21411-21018	10H	91.1	
16	21411-21112	11H	103.5	
17	21411-21115	11H	103.5	
18	21411-21118	11H	103.5	

No.	Item code	Hole	Length	Type
19	21411-30912	9H	78.4	AD / R
20	21411-30915	9H	78.4	
21	21411-30918	9H	78.4	
22	21411-31012	10H	91.1	
23	21411-31015	10H	91.1	
24	21411-31018	10H	91.1	
25	21411-31112	11H	103.5	
26	21411-31115	11H	103.5	
27	21411-31118	11H	103.5	
28	21411-40912	9H	78.4	AD / L
29	21411-40915	9H	78.4	
30	21411-40918	9H	78.4	
31	21411-41012	10H	91.1	
32	21411-41015	10H	91.1	
33	21411-41018	10H	91.1	
34	21411-41112	11H	103.5	
35	21411-41115	11H	103.5	
36	21411-41118	11H	103.5	

Applicable Screw *2.3 Locking Screw (Head) / 3.5 Locking Screw (Shaft) / 3.5 Cortical Screw

Locking Anatomic Fibular Plate - A Type



Anodizing (Dark Gold)

Anodizing (Dark Gold)

Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	1019-12005	5H	62.3	Straight
2	1019-12006	6H	74.3	
3	1019-12007	7H	86.3	
4	1019-12008	8H	98.3	
5	1019-12009	9H	110.3	
6	1019-12010	10H	122.3	
7	1019-12011	11H	134.3	
8	1019-12106	6H	62.3	Right
9	1019-12107	7H	74.3	
10	1019-12108	8H	86.3	
11	1019-12109	9H	98.3	
12	1019-12110	10H	110.3	
13	1019-12111	11H	122.3	
14	1019-12112	12H	134.3	
15	1019-12206	6H	62.3	Left
16	1019-12207	7H	74.3	
17	1019-12208	7H	86.3	
18	1019-12209	8H	98.3	
19	1019-12210	10H	110.3	
20	1019-12211	11H	122.3	
21	1019-12212	12H	134.3	

No.	Item code	Hole	Length	Type
22	AD1019-12005	5H	62.3	AD / Str
23	AD1019-12006	6H	74.3	
24	AD1019-12007	7H	86.3	
25	AD1019-12008	8H	98.3	
26	AD1019-12009	9H	110.3	
27	AD1019-12010	10H	122.3	
28	AD1019-12011	11H	134.3	
29	AD1019-12106	6H	62.3	AD / R
30	AD1019-12107	7H	74.3	
31	AD1019-12108	8H	86.3	
32	AD1019-12109	9H	98.3	
33	AD1019-12110	10H	110.3	
34	AD1019-12111	11H	122.3	
35	AD1019-12112	12H	134.3	
36	AD1019-12206	6H	62.3	AD / L
37	AD1019-12207	7H	74.3	
38	AD1019-12208	7H	86.3	
39	AD1019-12209	8H	98.3	
40	AD1019-12210	10H	110.3	
41	AD1019-12211	11H	122.3	
42	AD1019-12212	12H	134.3	

Applicable Screw *3.5 Locking Screw

Locking Anatomic Fibular Plate - A Type Adapting Hole



Anodizing (Dark Gold)

Anodizing (Dark Gold)

Anodizing (Dark Blue)

No.	Item code	Hole	Length	Type
1	1019-17005	5H	62.3	Straight
2	1019-17006	6H	74.3	
3	1019-17007	7H	86.3	
4	1019-17008	8H	98.3	
5	1019-17009	9H	110.3	
6	1019-17010	10H	122.3	
7	1019-17011	11H	134.3	
8	1019-17106	6H	62.3	Right
9	1019-17107	7H	74.3	
10	1019-17108	8H	86.3	
11	1019-17109	9H	98.3	
12	1019-17110	10H	110.3	
13	1019-17111	11H	122.3	
14	1019-17112	12H	134.3	
15	1019-17206	6H	62.3	Left
16	1019-17207	7H	74.3	
17	1019-17208	7H	86.3	
18	1019-17209	8H	98.3	
19	1019-17210	10H	110.3	
20	1019-17211	11H	122.3	
21	1019-17212	12H	134.3	

No.	Item code	Hole	Length	Type
22	AD1019-17005	5H	62.3	AD / Str
23	AD1019-17006	6H	74.3	
24	AD1019-17007	7H	86.3	
25	AD1019-17008	8H	98.3	
26	AD1019-17009	9H	110.3	
27	AD1019-17010	10H	122.3	
28	AD1019-17011	11H	134.3	
29	AD1019-17106	6H	62.3	AD / R
30	AD1019-17107	7H	74.3	
31	AD1019-17108	8H	86.3	
32	AD1019-17109	9H	98.3	
33	AD1019-17110	10H	110.3	
34	AD1019-17111	11H	122.3	
35	AD1019-17112	12H	134.3	
36	AD1019-17206	6H	62.3	AD / L
37	AD1019-17207	7H	74.3	
38	AD1019-17208	7H	86.3	
39	AD1019-17209	8H	98.3	
40	AD1019-17210	10H	110.3	
41	AD1019-17211	11H	122.3	
42	AD1019-17212	12H	134.3	

Applicable Screw *3.5 Locking Screw / 3.5 Cortical Screw

Locking Anatomic Fibular Plate - B Type



No.	Item code	Hole	Length	Type	No.	Item code	Hole	Length	Type
1	1019-15011	11H	62.7	Straight	25	AD1019-15011	11H	62.7	AD / Str
2	1019-15012	12H	74.7		26	AD1019-15012	12H	74.7	
3	1019-15013	13H	86.7		27	AD1019-15013	13H	86.7	
4	1019-15014	14H	98.7		28	AD1019-15014	14H	98.7	
5	1019-15015	15H	110.7		29	AD1019-15015	15H	110.7	
6	1019-15016	16H	122.7		30	AD1019-15016	16H	122.7	
7	1019-15017	17H	134.7		31	AD1019-15017	17H	134.7	
8	1019-15018	18H	146.7		32	AD1019-15018	18H	146.7	
9	1019-15111	11H	62.7	Right	33	AD1019-15111	11H	62.7	AD / R
10	1019-15112	12H	74.7		34	AD1019-15112	12H	74.7	
11	1019-15113	13H	86.7		35	AD1019-15113	13H	86.7	
12	1019-15114	14H	98.7		36	AD1019-15114	14H	98.7	
13	1019-15115	15H	110.7		37	AD1019-15115	15H	110.7	
14	1019-15116	16H	122.7		38	AD1019-15116	16H	122.7	
15	1019-15117	17H	134.7		39	AD1019-15117	17H	134.7	
16	1019-15118	18H	146.7		40	AD1019-15118	18H	146.7	
17	1019-15211	11H	62.7	Left	41	AD1019-15211	11H	62.7	AD / L
18	1019-15212	12H	74.7		42	AD1019-15212	12H	74.7	
19	1019-15213	13H	86.7		43	AD1019-15213	13H	86.7	
20	1019-15214	14H	98.7		44	AD1019-15214	14H	98.7	
21	1019-15215	15H	110.7		45	AD1019-15215	15H	110.7	
22	1019-15216	16H	122.7		46	AD1019-15216	16H	122.7	
23	1019-15217	17H	134.7		47	AD1019-15217	17H	134.7	
24	1019-15218	18H	146.7		48	AD1019-15218	18H	146.7	

Applicable Screw *2.3Locking Screw (Head) / 3.5 Locking Screw (Shaft)

Locking Anatomic Fibular Plate - ST Type



No.	Item code	Hole	Length	Type	No.	Item code	Hole	Length	Type
1	1002-13004	4H	52.0	SAND-ING	8	AD1002-13004	4H	52.0	ANODIZING
2	1002-13005	5H	64.0		9	AD1002-13005	5H	64.0	
3	1002-13006	6H	76.0		10	AD1002-13006	6H	76.0	
4	1002-13007	7H	88.0		11	AD1002-13007	7H	88.0	
5	1002-13008	8H	100.0		12	AD1002-13008	8H	100.0	
6	1002-13009	9H	112.0		13	AD1002-13009	9H	112.0	
7	1002-13010	10H	124.0		14	AD1002-13010	10H	124.0	

Applicable Screw *3.5 Locking Screw

Locking Anatomic Fibular Plate - U Type

No.	Item code	Hole	Length	Type	No.	Item code	Hole	Length	Type
1	1019-10004	4H	44.5	SAND-ING	10	AD1019-10004	4H	44.5	ANO-DIZ-ING
2	1019-10005	5H	56.5		11	AD1019-10005	5H	56.5	
3	1019-10006	6H	68.5		12	AD1019-10006	6H	68.5	
4	1019-10007	7H	80.5		13	AD1019-10007	7H	80.5	
5	1019-10008	8H	92.5		14	AD1019-10008	8H	92.5	
6	1019-10009	9H	104.5		15	AD1019-10009	9H	104.5	
7	1019-10010	10H	116.5		16	AD1019-10010	10H	116.5	
8	1019-10011	11H	128.5		17	AD1019-10011	11H	128.5	
9	1019-10012	12H	140.5		18	AD1019-10012	12H	140.5	

Applicable Screw *3.5 Locking Screw

Locking Anatomic Fibular Plate - U Bented Type

No.	Item code	Hole	Length	Type	No.	Item code	Hole	Length	Type
1	1019-13005	5H	60.5	SAND-ING	9	AD1019-13005	5H	60.5	ANO-DIZ-ING
2	1019-13006	6H	72.5		10	AD1019-13006	6H	72.5	
3	1019-13007	7H	84.5		11	AD1019-13007	7H	84.5	
4	1019-13008	8H	96.5		12	AD1019-13008	8H	96.5	
5	1019-13009	9H	108.5		13	AD1019-13009	9H	108.5	
6	1019-13010	10H	120.5		14	AD1019-13010	10H	120.5	
7	1019-13011	11H	132.5		15	AD1019-13011	11H	132.5	
8	1019-13012	12H	144.5		16	AD1019-13012	12H	144.5	

Applicable Screw *3.5 Locking Screw

Locking Anatomic Fibular Plate - BS Type

No.	Item code	Hole	Length	Type	No.	Item code	Hole	Length	Type
1	1019-16406	6H	61.0	SAND-ING	8	AD1019-16406	6H	61.0	ANO-DIZ-ING
2	1019-16407	7H	75.0		9	AD1019-16407	7H	75.0	
3	1019-16408	8H	89.0		10	AD1019-16408	8H	89.0	
4	1019-16409	9H	103.0		11	AD1019-16409	9H	103.0	
5	1019-16410	10H	117.0		12	AD1019-16410	10H	117.0	
6	1019-16411	11H	131.0		13	AD1019-16411	11H	131.0	
7	1019-16412	12H	145.0		14	AD1019-16412	12H	145.0	

Applicable Screw *3.5 Locking Screw

Locking Anatomic Fibular Plate - SBS Type

No.	Item code	Hole	Length	Type	No.	Item code	Hole	Length	Type
1	1019-15410	10H	61.0	SAND-ING	8	AD1019-15410	10H	61.0	ANO-DIZ-ING
2	1019-15411	11H	75.0		9	AD1019-15411	11H	75.0	
3	1019-15412	12H	89.0		10	AD1019-15412	12H	89.0	
4	1019-15413	13H	103.0		11	AD1019-15413	13H	103.0	
5	1019-15414	14H	117.0		12	AD1019-15414	14H	117.0	
6	1019-15415	15H	131.0		13	AD1019-15415	15H	131.0	
7	1019-15416	16H	145.0		14	AD1019-15416	16H	145.0	

Applicable Screw *3.5 Locking Screw

Locking Distal Humerus Bone Plate - Medial Type



No.	Item code	Hole	Length	Type	No.	Item code	Hole	Length	Type
1	1014-15108	8H	71.0	Right	19	AD1014-15108	8H	71.0	AD / R
2	1014-15109	9H	84.0		20	AD1014-15109	9H	84.0	
3	1014-15110	10H	97.0		21	AD1014-15110	10H	97.0	
4	1014-15111	11H	110.0		22	AD1014-15111	11H	110.0	
5	1014-15112	12H	123.0		23	AD1014-15112	12H	123.0	
6	1014-15113	13H	136.0		24	AD1014-15113	13H	136.0	
7	1014-15114	14H	149.0		25	AD1014-15114	14H	149.0	
8	1014-15115	15H	162.0		26	AD1014-15115	15H	162.0	
9	1014-15116	16H	175.0		27	AD1014-15116	16H	175.0	
10	1014-15208	8H	71.0	Left	28	AD1014-15208	8H	71.0	AD / L
11	1014-15209	9H	84.0		29	AD1014-15209	9H	84.0	
12	1014-15210	10H	97.0		30	AD1014-15210	10H	97.0	
13	1014-15211	11H	110.0		31	AD1014-15211	11H	110.0	
14	1014-15212	12H	123.0		32	AD1014-15212	12H	123.0	
15	1014-15213	13H	136.0		33	AD1014-15213	13H	136.0	
16	1014-15214	14H	149.0		34	AD1014-15214	14H	149.0	
17	1014-15215	15H	162.0		35	AD1014-15215	15H	162.0	
18	1014-15216	16H	175.0		36	AD1014-15216	16H	175.0	

Applicable Screw * 2.3 Locking Screw (Head) / 3.5 Locking Screw (Shaft) / 3.5 Cortical Screw (DCP Hole)

Locking Distal Humerus Bone Plate - Lateral Type



No.	Item code	Hole	Length	Type	No.	Item code	Hole	Length	Type
1	1015-12107	7H	65.0	Right	15	AD1015-12107	7H	65.0	AD / R
2	1015-12108	8H	78.0		16	AD1015-12108	8H	78.0	
3	1015-12109	9H	91.0		17	AD1015-12109	9H	91.0	
4	1015-12110	10H	104.0		18	AD1015-12110	10H	104.0	
5	1015-12111	11H	117.0		19	AD1015-12111	11H	117.0	
6	1015-12112	12H	130.0		20	AD1015-12112	12H	130.0	
7	1015-12113	13H	143.0		21	AD1015-12113	13H	143.0	
8	1015-12207	7H	65.0	Left	22	AD1015-12207	7H	65.0	AD / L
9	1015-12208	8H	78.0		23	AD1015-12208	8H	78.0	
10	1015-12209	9H	91.0		24	AD1015-12209	9H	91.0	
11	1015-12210	10H	104.0		25	AD1015-12210	10H	104.0	
12	1015-12211	11H	117.0		26	AD1015-12211	11H	117.0	
13	1015-12212	12H	130.0		27	AD1015-12212	12H	130.0	
14	1015-12213	13H	143.0		28	AD1015-12213	13H	143.0	

Applicable Screw * 2.3 Locking Screw (Head) / 3.5 Locking Screw (Shaft) / 3.5 Cortical Screw (DCP Hole)

Locking Proximal Humerus Plate - Straight Type

No.	Item code	Hole	Length	Type	No.	Item code	Hole	Length	Type
1	1013-11011	11H	76.0	SAND - ING	8	AD1013-11011	11H	76.0	ANO - DIZ - ING
2	1013-11012	12H	88.5		9	AD1013-11012	12H	88.5	
3	1013-11013	13H	101.0		10	AD1013-11013	13H	101.0	
4	1013-11014	14H	113.5		11	AD1013-11014	14H	113.5	
5	1013-11015	15H	126.0		12	AD1013-11015	15H	126.0	
6	1013-11016	16H	138.5		13	AD1013-11016	16H	138.5	
7	1013-11017	17H	151.0		14	AD1013-11017	17H	151.0	

Applicable Screw * 3.5 Locking Screw / 3.5 Cortical Screw or 4.0 Cancellous Screw (DCP Hole)

Locking Proximal Humerus Plate



No.	Item code	Hole	Length	Type	No.	Item code	Hole	Length	Type
1	21403-23011	11H	75.0	Right	9	21403-43011	11H	75.0	AD / R
2	21403-23012	12H	87.0		10	21403-43012	12H	87.0	
3	21403-23013	13H	99.0		11	21403-43013	13H	99.0	
4	21403-23014	14H	111.0		12	21403-43014	14H	111.0	
5	21403-13011	11H	75.0	Left	13	21403-33011	11H	75.0	AD / L
6	21403-13012	12H	87.0		14	21403-33012	12H	87.0	
7	21403-13013	13H	99.0		15	21403-33013	13H	99.0	
8	21403-13014	14H	111.0		16	21403-33014	14H	111.0	

Applicable Screw * 3.5 Locking Screw / 3.5 Cortical Screw or 4.0 Cancellous Screw (DCP Hole)

Locking Small Calcaneus Plate



No.	Item code	Hole	Length	Type	No.	Item code	Hole	Length	Type
1	1022-10151	10H	51.0	Right	7	AD1022-10151	11H	75.0	AD / R
2	1022-10161	11H	61.0		8	AD1022-10161	12H	87.0	
3	1022-10171	11H	71.0		9	AD1022-10171	13H	99.0	
4	1022-10251	10H	51.0	Left	10	AD1022-10251	14H	111.0	AD / L
5	1022-10261	11H	61.0		11	AD1022-10261	11H	75.0	
6	1022-10271	11H	71.0		12	AD1022-10271	12H	87.0	

Applicable Screw * 3.5 Locking

Locking Distal Ulna Plate


No.	Item code	Hole	Length	Type	No.	Item code	Hole	Length	Type
1	11401-56007	7H	46.0	SAND - ING	4	11401-92007	7H	46.0	ANO - DIZ - ING
2	11401-56008	8H	52.0		5	11401-92008	8H	52.0	
3	11401-56009	9H	58.0		6	11401-92009	9H	58.0	

Applicable Screw * 2.3 Locking Screw / 2.0 Cortical Screw

Product Introduction

Locking Screw

2.3 Locking Cortex Sctew




Anodizing (Purple)

No.	Item code	Length	Remark
1	2123-24208	8.0	ANODIZING
2	2123-24210	10.0	
3	2123-24212	12.0	
4	2123-24214	14.0	
5	2123-24216	16.0	
6	2123-24218	18.0	
7	2123-24220	20.0	
8	2123-24222	22.0	
9	2123-24224	24.0	
10	2123-24226	26.0	
11	2123-24228	28.0	
12	2123-24230	30.0	
13	2123-24235	35.0	
14	2123-24240	40.0	
15	2123-24245	45.0	
16	2123-24250	50.0	
17	2123-24255	55.0	
18	2123-24260	60.0	

No.	Item code	Length	Remark
19	AD2123-24208	8.0	ANODIZING
20	AD2123-24210	10.0	
21	AD2123-24212	12.0	
22	AD2123-24214	14.0	
23	AD2123-24216	16.0	
24	AD2123-24218	18.0	
25	AD2123-24220	20.0	
26	AD2123-24222	22.0	
27	AD2123-24224	24.0	
28	AD2123-24226	26.0	
29	AD2123-24228	28.0	
30	AD2123-24230	30.0	
31	AD2123-24235	35.0	
32	AD2123-24240	40.0	
33	AD2123-24245	45.0	
34	AD2123-24250	50.0	
35	AD2123-24255	55.0	
36	AD2123-24260	60.0	

3.0 Locking Cortex Sctew




Anodizing (Green)

No.	Item code	Length	Remark
1	2130-24108	8.8	ANODIZING
2	2130-24110	10.8	
3	2130-24112	12.8	
4	2130-24114	14.8	
5	2130-24116	16.8	
6	2130-24118	18.8	
7	2130-24120	20.8	
8	2130-24122	22.8	
9	2130-24124	24.8	
10	2130-24126	26.8	
11	2130-24128	28.8	
12	2130-24130	30.8	
13	2130-24132	32.8	
14	2130-24134	34.8	

No.	Item code	Length	Remark
15	AD2130-24108	8.8	ANODIZING
16	AD2130-24110	10.8	
17	AD2130-24112	12.8	
18	AD2130-24114	14.8	
19	AD2130-24116	16.8	
20	AD2130-24118	18.8	
21	AD2130-24120	20.8	
22	AD2130-24122	22.8	
23	AD2130-24124	24.8	
24	AD2130-24126	26.8	
25	AD2130-24128	28.8	
26	AD2130-24130	30.8	
27	AD2130-24132	32.8	
28	AD2130-24134	34.8	

3.5 Locking Cortex Sctew




Anodizing (Medium Blue)

No.	Item code	Length	Remark
1	2135-24008	8.8	ANODIZING
2	2135-24010	10.8	
3	2135-24012	12.8	
4	2135-24014	14.8	
5	2135-24016	16.8	
6	2135-24018	18.8	
7	2135-24020	20.8	
8	2135-24022	22.8	
9	2135-24024	24.8	
10	2135-24026	26.8	
11	2135-24028	28.8	
12	2135-24030	30.8	
13	2135-24032	32.8	
14	2135-24034	34.8	
15	2135-24035	35.8	
16	2135-24036	36.8	
17	2135-24038	38.8	
18	2135-24040	40.8	
19	2135-24045	45.8	
20	2135-24050	50.8	
21	2135-24055	55.8	
22	2135-24060	60.8	

No.	Item code	Length	Remark
23	AD2135-24008	8.8	ANODIZING
24	AD2135-24010	10.8	
25	AD2135-24012	12.8	
26	AD2135-24014	14.8	
27	AD2135-24016	16.8	
28	AD2135-24018	18.8	
29	AD2135-24020	20.8	
30	AD2135-24022	22.8	
31	AD2135-24024	24.8	
32	AD2135-24026	26.8	
33	AD2135-24028	28.8	
34	AD2135-24030	30.8	
35	AD2135-24032	32.8	
36	AD2135-24034	34.8	
37	AD2135-24035	35.8	
38	AD2135-24036	36.8	
39	AD2135-24038	38.8	
40	AD2135-24040	40.8	
41	AD2135-24045	45.8	
42	AD2135-24050	50.8	
43	AD2135-24055	55.8	
44	AD2135-24060	60.8	

4.0 Locking Cortex Sctew




Anodizing (Purple)

No.	Item code	Length	Remark
1	2140-24012	12.8	ANODIZING
2	2140-24014	14.8	
3	2140-24016	16.8	
4	2140-24018	18.8	
5	2140-24020	20.8	
6	2140-24022	22.8	
7	2140-24024	24.8	
8	2140-24026	26.8	
9	2140-24028	28.8	
10	2140-24030	30.8	
11	2140-24032	32.8	
12	2140-24034	34.8	
13	2140-24036	36.8	
14	2140-24038	38.8	
15	2140-24040	40.8	
16	2140-24042	42.8	
17	2140-24044	44.8	
18	2140-24046	46.8	
19	2140-24048	48.8	
20	2140-24050	50.8	
21	2140-24052	52.8	
22	2140-24054	54.8	
23	2140-24055	55.8	
24	2140-24056	56.8	
25	2140-24058	58.8	
26	2140-24060	60.8	
27	2140-24065	65.8	
28	2140-24070	70.8	
29	2140-24075	75.8	
30	2140-24080	80.8	
31	2140-24085	85.8	
32	2140-24090	90.8	

No.	Item code	Length	Remark
33	AD2140-24012	12.8	ANODIZING
34	AD2140-24014	14.8	
35	AD2140-24016	16.8	
36	AD2140-24018	18.8	
37	AD2140-24020	20.8	
38	AD2140-24022	22.8	
39	AD2140-24024	24.8	
40	AD2140-24026	26.8	
41	AD2140-24028	28.8	
42	AD2140-24030	30.8	
43	AD2140-24032	32.8	
44	AD2140-24034	34.8	
45	AD2140-24036	36.8	
46	AD2140-24038	38.8	
47	AD2140-24040	40.8	
48	AD2140-24042	42.8	
49	AD2140-24044	44.8	
50	AD2140-24046	46.8	
51	AD2140-24048	48.8	
52	AD2140-24050	50.8	
53	AD2140-24052	52.8	
54	AD2140-24054	54.8	
55	AD2140-24055	55.8	
56	AD2140-24056	56.8	
57	AD2140-24058	58.8	
58	AD2140-24060	60.8	
59	AD2140-24065	65.8	
60	AD2140-24070	70.8	
61	AD2140-24075	75.8	
62	AD2140-24080	80.8	
63	AD2140-24085	85.8	
64	AD2140-24090	90.8	

4.5 Locking Cortex Sctew




Anodizing (Gold)

No.	Item code	Length	Remark
1	2145-24010	10.8	ANODIZING
2	2145-24012	12.8	
3	2145-24014	14.8	
4	2145-24016	16.8	
5	2145-24018	18.8	
6	2145-24020	20.8	
7	2145-24022	22.8	
8	2145-24024	24.8	
9	2145-24026	26.8	
10	2145-24028	28.8	
11	2145-24030	30.8	
12	2145-24032	32.8	
13	2145-24034	34.8	
14	2145-24036	36.8	
15	2145-24038	38.8	
16	2145-24040	40.8	
17	2145-24042	42.8	
18	2145-24044	44.8	
19	2145-24046	46.8	
20	2145-24048	48.8	
21	2145-24050	50.8	
22	2145-24052	52.8	
23	2145-24054	54.8	
24	2145-24055	55.8	
25	2145-24056	56.8	
26	2145-24058	58.8	
27	2145-24060	60.8	
28	2145-24065	65.8	
29	2145-24070	70.8	
30	2145-24075	75.8	
31	2145-24080	80.8	
32	2145-24085	85.8	
33	2145-24090	90.8	

No.	Item code	Length	Remark
34	AD2145-24010	10.8	ANODIZING
35	AD2145-24012	12.8	
36	AD2145-24014	14.8	
37	AD2145-24016	16.8	
38	AD2145-24018	18.8	
39	AD2145-24020	20.8	
40	AD2145-24022	22.8	
41	AD2145-24024	24.8	
42	AD2145-24026	26.8	
43	AD2145-24028	28.8	
44	AD2145-24030	30.8	
45	AD2145-24032	32.8	
46	AD2145-24034	34.8	
47	AD2145-24036	36.8	
48	AD2145-24038	38.8	
49	AD2145-24040	40.8	
50	AD2145-24042	42.8	
51	AD2145-24044	44.8	
52	AD2145-24046	46.8	
53	AD2145-24048	48.8	
54	AD2145-24050	50.8	
55	AD2145-24052	52.8	
56	AD2145-24054	54.8	
57	AD2145-24055	55.8	
58	AD2145-24056	56.8	
59	AD2145-24058	58.8	
60	AD2145-24060	60.8	
61	AD2145-24065	65.8	
62	AD2145-24070	70.8	
63	AD2145-24075	75.8	
64	AD2145-24080	80.8	
65	AD2145-24085	85.8	
66	AD2145-24090	90.8	

5.0 Locking Cortex Sctew - B Type




Anodizing (Blue)

No.	Item code	Length	Remark
1	2150-24210	10.8	ANODIZING
2	2150-24212	12.8	
3	2150-24214	14.8	
4	2150-24216	16.8	
5	2150-24218	18.8	
6	2150-24220	20.8	
7	2150-24222	22.8	
8	2150-24224	24.8	
9	2150-24226	26.8	
10	2150-24228	28.8	
11	2150-24230	30.8	
12	2150-24232	32.8	
13	2150-24234	34.8	
14	2150-24236	36.8	
15	2150-24238	38.8	
16	2150-24240	40.8	
17	2150-24242	42.8	
18	2150-24244	44.8	
19	2150-24246	46.8	
20	2150-24248	48.8	
21	2150-24250	50.8	
22	2150-24252	52.8	
23	2150-24254	54.8	
24	2150-24255	55.8	
25	2150-24256	56.8	
26	2150-24258	58.8	
27	2150-24260	60.8	
28	2150-24265	65.8	
29	2150-24270	70.8	
30	2150-24275	75.8	
31	2150-24280	80.8	
32	2150-24285	85.8	
33	2150-24290	90.8	

No.	Item code	Length	Remark
34	AD2150-24210	10.8	ANODIZING
35	AD2150-24212	12.8	
36	AD2150-24214	14.8	
37	AD2150-24216	16.8	
38	AD2150-24218	18.8	
39	AD2150-24220	20.8	
40	AD2150-24222	22.8	
41	AD2150-24226	24.8	
42	AD2145-24026	26.8	
43	AD2150-24228	28.8	
44	AD2150-24230	30.8	
45	AD2150-24232	32.8	
46	AD2150-24234	34.8	
47	AD2150-24236	36.8	
48	AD2150-24238	38.8	
49	AD2150-24240	40.8	
50	AD2150-24242	42.8	
51	AD2150-24244	44.8	
52	AD2150-24246	46.8	
53	AD2150-24248	48.8	
54	AD2150-24250	50.8	
55	AD2150-24252	52.8	
56	AD2150-24254	54.8	
57	AD2150-24255	55.8	
58	AD2150-24256	56.8	
59	AD2150-24258	58.8	
60	AD2150-24260	60.8	
61	AD2150-24265	65.8	
62	AD2150-24270	70.8	
63	AD2150-24275	75.8	
64	AD2150-24280	80.8	
65	AD2150-24285	85.8	
66	AD2150-24290	90.8	

Product Introduction
Cortical Screw

3.5 Cortical Screw




Anodizing (Medium Blue)

No.	Item code	Length	Remark
1	235-21010	10.0	ANODIZING
2	235-21012	12.0	
3	235-21014	14.0	
4	235-21016	16.0	
5	235-21018	18.0	
6	235-21020	20.0	
7	235-21022	22.0	
8	235-21024	24.0	
9	235-21026	26.0	
10	235-21028	28.0	
11	235-21030	30.0	
12	235-21032	32.0	
13	235-21034	34.0	
14	235-21036	36.0	
15	235-21038	38.0	
16	235-21040	40.0	
17	235-21045	45.0	
18	235-21050	50.0	
19	235-21055	55.0	
20	235-21060	60.0	
21	235-21065	65.0	
22	235-21070	70.0	
23	235-21075	75.0	
24	235-21080	80.0	
25	235-21085	85.0	
26	235-21090	90.0	
27	235-21095	95.0	
28	235-21100	100.0	

No.	Item code	Length	Remark
29	AD235-21010	10.0	ANODIZING
30	AD235-21012	12.0	
31	AD235-21014	14.0	
32	AD235-21016	16.0	
33	AD235-21018	18.0	
34	AD235-21020	20.0	
35	AD235-21022	22.0	
36	AD235-21024	24.0	
37	AD235-21026	26.0	
38	AD235-21028	28.0	
39	AD235-21030	30.0	
40	AD235-21032	32.0	
41	AD235-21034	34.0	
42	AD235-21036	36.0	
43	AD235-21038	38.0	
44	AD235-21040	40.0	
45	AD235-21045	45.0	
46	AD235-21050	50.0	
47	AD235-21055	55.0	
48	AD235-21060	60.0	
49	AD235-21065	65.0	
50	AD235-21070	70.0	
51	AD235-21075	75.0	
52	AD235-21080	80.0	
53	AD235-21085	85.0	
54	AD235-21090	90.0	
55	AD235-21095	95.0	
56	AD235-21100	100.0	

4.5 Cortical Screw



Anodizing (Gold)


No.	Item code	Length	Remark
1	245-21012	12.0	ANODIZING
2	245-21014	14.0	
3	245-21016	16.0	
4	245-21018	18.0	
5	245-21020	20.0	
6	245-21022	22.0	
7	245-21024	24.0	
8	245-21026	26.0	
9	245-21028	28.0	
10	245-21030	30.0	
11	245-21032	32.0	
12	245-21034	34.0	
13	245-21036	36.0	
14	245-21038	38.0	
15	245-21040	40.0	
16	245-21042	42.0	
17	245-21044	44.0	
18	245-21046	46.0	
19	245-21048	48.0	
20	245-21050	50.0	
21	245-21052	52.0	
22	245-21054	54.0	
23	245-21056	56.0	
24	245-21058	58.0	
25	245-21060	60.0	
26	245-21064	64.0	
27	245-21070	70.0	

No.	Item code	Length	Remark
28	AD245-21012	12.0	ANODIZING
29	AD245-21014	14.0	
30	AD245-21016	16.0	
31	AD245-21018	18.0	
32	AD245-21020	20.0	
33	AD245-21022	22.0	
34	AD245-21024	24.0	
35	AD245-21026	26.0	
36	AD245-21028	28.0	
37	AD245-21030	30.0	
38	AD245-21032	32.0	
39	AD245-21034	34.0	
40	AD245-21036	36.0	
41	AD245-21038	38.0	
42	AD245-21040	40.0	
43	AD245-21042	42.0	
44	AD245-21044	44.0	
45	AD245-21046	46.0	
46	AD245-21048	48.0	
47	AD245-21050	50.0	
48	AD245-21052	52.0	
49	AD245-21054	54.0	
50	AD245-21056	56.0	
51	AD245-21058	58.0	
52	AD245-21060	60.0	
53	AD245-21064	64.0	
54	AD245-21070	70.0	

Product Introduction

Cancellous Screw

4.0 Cancellous Self Tapping Screw - Fully Threaded



No.	Item code	Length	Remark
1	240-24010	10.0	ANODIZING
2	240-24012	12.0	
3	240-24014	14.0	
4	240-24016	16.0	
5	240-24018	18.0	
6	240-24020	20.0	
7	240-24022	22.0	
8	240-24024	24.0	
9	240-24026	26.0	
10	240-24028	28.0	
11	240-24030	30.0	
12	240-24035	35.0	
13	240-24040	40.0	
14	240-24045	45.0	
15	240-24050	50.0	
16	240-24055	55.0	
17	240-24060	60.0	
18	240-24065	65.0	
19	240-24070	70.0	
20	240-24075	75.0	
21	240-24080	80.0	
22	240-24085	85.0	
23	240-24090	90.0	
24	240-24095	95.0	
25	240-24100	100.0	

No.	Item code	Length	Remark
26	AD240-24010	10.0	ANODIZING
27	AD240-24012	12.0	
28	AD240-24014	14.0	
29	AD240-24016	16.0	
30	AD240-24018	18.0	
31	AD240-24020	20.0	
32	AD240-24022	22.0	
33	AD240-24024	24.0	
34	AD240-24026	26.0	
35	AD240-24028	28.0	
36	AD240-24030	30.0	
37	AD240-24035	35.0	
38	AD240-24040	40.0	
39	AD240-24045	45.0	
40	AD240-24050	50.0	
41	AD240-24055	55.0	
42	AD240-24060	60.0	
43	AD240-24065	65.0	
44	AD240-24070	70.0	
45	AD240-24075	75.0	
46	AD240-24080	80.0	
47	AD240-24085	85.0	
48	AD240-24090	90.0	
49	AD240-24095	95.0	
50	AD240-24100	100.0	

4.0 Cancellous Self Tapping Screw - Half Threaded



No.	Item code	Length	Remark
1	240-22010	10.0	ANODIZING
2	240-22012	12.0	
3	240-22014	14.0	
4	240-22016	16.0	
5	240-22018	18.0	
6	240-22020	20.0	
7	240-22022	22.0	
8	240-22024	24.0	
9	240-22026	26.0	
10	240-22028	28.0	
11	240-22030	30.0	
12	240-22035	35.0	
13	240-22040	40.0	
14	240-22045	45.0	
15	240-22050	50.0	
16	240-22055	55.0	
17	240-22060	60.0	
18	240-22065	65.0	
19	240-22070	70.0	
20	240-22075	75.0	
21	240-22080	80.0	
22	240-22085	85.0	
23	240-22090	90.0	
24	240-22095	95.0	
25	240-22100	100.0	

No.	Item code	Length	Remark
26	AD240-22010	10.0	ANODIZING
27	AD240-22012	12.0	
28	AD240-22014	14.0	
29	AD240-22016	16.0	
30	AD240-22018	18.0	
31	AD240-22020	20.0	
32	AD240-22022	22.0	
33	AD240-22024	24.0	
34	AD240-22026	26.0	
35	AD240-22028	28.0	
36	AD240-22030	30.0	
37	AD240-22035	35.0	
38	AD240-22040	40.0	
39	AD240-22045	45.0	
40	AD240-22050	50.0	
41	AD240-22055	55.0	
42	AD240-22060	60.0	
43	AD240-22065	65.0	
44	AD240-22070	70.0	
45	AD240-22075	75.0	
46	AD240-22080	80.0	
47	AD240-22085	85.0	
48	AD240-22090	90.0	
49	AD240-22095	95.0	
50	AD240-22100	100.0	

Product Introduction

Cannulated Screw

4.0 Cannulated Self Tapping Screw - Partial Threaded Type



No.	Item code	Length	Remark
1	HKT240-25014	17.0	ANODIZING
2	HKT240-25016	19.0	
3	HKT240-25018	21.0	
4	HKT240-25020	23.0	
5	HKT240-25022	25.0	
6	HKT240-25024	27.0	
7	HKT240-25026	29.0	
8	HKT240-25028	31.0	
9	HKT240-25030	33.0	
10	HKT240-25032	35.0	
11	HKT240-25034	37.0	
12	HKT240-25036	39.0	
13	HKT240-25038	41.0	
14	HKT240-25040	43.0	
15	HKT240-25042	45.0	
16	HKT240-25044	47.0	
17	HKT240-25046	49.0	
18	HKT240-25048	51.0	
19	HKT240-25050	53.0	
20	HKT240-25052	55.0	
21	HKT240-25054	57.0	
22	HKT240-25055	58.0	
23	HKT240-25056	59.0	
24	HKT240-25058	61.0	
25	HKT240-25060	63.0	
26	HKT240-25065	68.0	
27	HKT240-25070	73.0	

No.	Item code	Length	Remark
28	HAD240-25014	17.0	ANODIZING
29	HAD240-25016	19.0	
30	HAD240-25018	21.0	
31	HAD240-25020	23.0	
32	HAD240-25022	25.0	
33	HAD240-25024	27.0	
34	HAD240-25026	29.0	
35	HAD240-25028	31.0	
36	HAD240-25030	33.0	
37	HAD240-25032	35.0	
38	HAD240-25034	37.0	
39	HAD240-25036	39.0	
40	HAD240-25038	41.0	
41	HAD240-25040	43.0	
42	HAD240-25042	45.0	
43	HAD240-25044	47.0	
44	HAD240-25046	49.0	
45	HAD240-25048	51.0	
46	HAD240-25050	53.0	
47	HAD240-25052	55.0	
48	HAD240-25054	57.0	
49	HAD240-25055	58.0	
50	HAD240-25056	59.0	
51	HAD240-25058	61.0	
52	HAD240-25060	63.0	
53	HAD240-25065	68.0	
54	HAD240-25070	73.0	

4.5 Cannulated Self Tapping Screw - Partial Threaded Type



No.	Item code	Length	Remark
1	HKT245-25020	24.5	ANODIZING
2	HKT245-25022	26.5	
3	HKT245-25024	28.5	
4	HKT245-25025	29.5	
5	HKT245-25026	30.5	
6	HKT245-25028	32.5	
7	HKT245-25030	34.5	
8	HKT245-25032	36.5	
9	HKT245-25034	38.5	
10	HKT245-25035	39.5	
11	HKT245-25036	40.5	
12	HKT245-25038	42.5	
13	HKT245-25040	44.5	
14	HKT245-25042	46.5	
15	HKT245-25044	48.5	
16	HKT245-25045	49.5	
17	HKT245-25046	50.5	
18	HKT245-25048	52.5	
19	HKT245-25050	54.5	
20	HKT245-25052	56.5	
21	HKT245-25054	58.5	
22	HKT245-25055	59.5	
23	HKT245-25056	60.5	
24	HKT245-25058	62.5	
25	HKT245-25060	64.5	
26	HKT245-25065	69.5	
27	HKT245-25070	74.5	

No.	Item code	Length	Remark
28	HAD245-25020	24.5	ANODIZING
29	HAD245-25022	26.5	
30	HAD245-25024	28.5	
31	HAD245-25025	29.5	
32	HAD245-25026	30.5	
33	HAD245-25028	32.5	
34	HAD245-25030	34.5	
35	HAD245-25032	36.5	
36	HAD245-25034	38.5	
37	HAD245-25035	39.5	
38	HAD245-25036	40.5	
39	HAD245-25038	42.5	
40	HAD245-25040	44.5	
41	HAD245-25042	46.5	
42	HAD245-25044	48.5	
43	HAD245-25045	49.5	
44	HAD245-25046	50.5	
45	HAD245-25048	52.5	
46	HAD245-25050	54.5	
47	HAD245-25052	56.5	
48	HAD245-25054	58.5	
49	HAD245-25055	59.5	
50	HAD245-25056	60.5	
51	HAD245-25058	62.5	
52	HAD245-25060	64.5	
53	HAD245-25065	69.5	
54	HAD245-25070	74.5	

Product Introduction

Cannulated Screw

6.5 Cannulated Self Tapping Screw - Partial Threaded Type



Anodizing (Sea Foam)

No.	Item code	Length	Remark	No.	Item code	Length	Remark
1	HKT265-26020	25.0	ANODIZING	38	HAD265-26020	25.0	ANODIZING
2	HKT265-26022	27.0		39	HAD265-26022	27.0	
3	HKT265-26024	29.0		40	HAD265-26024	29.0	
4	HKT265-26026	31.0		41	HAD265-26026	31.0	
5	HKT265-26028	33.0		42	HAD265-26028	33.0	
6	HKT265-26030	35.0		43	HAD265-26030	35.0	
7	HKT265-26032	37.0		44	HAD265-26032	37.0	
8	HKT265-26034	39.0		45	HAD265-26034	39.0	
9	HKT265-26035	40.0		46	HAD265-26035	40.0	
10	HKT265-26036	41.0		47	HAD265-26036	41.0	
11	HKT265-26038	43.0		48	HAD265-26038	43.0	
12	HKT265-26040	45.0		49	HAD265-26040	45.0	
13	HKT265-26042	47.0		50	HAD265-26042	47.0	
14	HKT265-26044	49.0		51	HAD265-26044	49.0	
15	HKT265-26045	50.0		52	HAD265-26045	50.0	
16	HKT265-26046	51.0		53	HAD265-26046	51.0	
17	HKT265-26048	53.0		54	HAD265-26048	53.0	
18	HKT265-26050	55.0		55	HAD265-26050	55.0	
19	HKT265-26052	57.0		56	HAD265-26052	57.0	
20	HKT265-26054	59.0		57	HAD265-26054	59.0	
21	HKT265-26055	60.0		58	HAD265-26055	60.0	
22	HKT265-26056	61.0		59	HAD265-26056	61.0	
23	HKT265-26058	63.0		60	HAD265-26058	63.0	
24	HKT265-26060	65.0		61	HAD265-26060	65.0	
25	HKT265-26065	70.0		62	HAD265-26065	70.0	
26	HKT265-26070	75.0		63	HAD265-26070	75.0	
27	HKT265-26075	80.0		64	HAD265-26075	80.0	
28	HKT265-26080	85.0		65	HAD265-26080	85.0	
29	HKT265-26085	90.0		66	HAD265-26085	90.0	
30	HKT265-26090	95.0		67	HAD265-26090	95.0	
31	HKT265-26095	100.0		68	HAD265-26095	100.0	
32	HKT265-26100	105.0		69	HAD265-26100	105.0	
33	HKT265-26105	110.0		70	HAD265-26105	110.0	
34	HKT265-26110	115.0		71	HAD265-26110	115.0	
35	HKT265-26115	120.0		72	HAD265-26115	120.0	
36	HKT265-26120	125.0		73	HAD265-26120	125.0	
37	HKT265-26125	130.0		74	HAD265-26125	130.0	

Product Introduction

Instrument

Double Drill Guide



No.	Item code	Size (mm)
1	47-031	2.5 / 3.5
2	47-071	3.0 / 4.5

D.C.P Drill Guide



No.	Item code	Size (mm)
1	47-037	2.5
2	47-076	3.0

Locking Drill Sleeve



No.	Item code	Size (mm)
1	47-047	2.0
2	47-046	2.5
3	47-044	3.0
4	60-017	4.3

Drill Bit



No.	Item code	Size (mm)
1	16201-20142	2.0
2	16201-25142	2.5
3	16201-30142	3.0
4	16201-32210	3.2
5	16201-43200	4.3

T-Tapper



No.	Item code	Size (mm)
1	47-064	3.5
2	47-065	4.0
3	47-066	4.5

Depth Gauge



No.	Item code	Size (mm)
1	47-042	50
2	60-025	100

Screw Driver



No.	Item code	Size (mm)
1	47-013	1.5Hex
2	47-014	2.5Hex
3	47-016	3.5Hex

Screw Driver Shaft



No.	Item code	Size (mm)
1	60-018	3.5Hex

Holding Forcecep



No.	Item code	Size (mm)
1	60-042	1.5Hex
2	60-041	2.5Hex
3	60-021	3.5Hex

Universal Bender




No.	Item code	Size (mm)
1	47-023	3.5 / 4.0
2	47-024	3.5 / 4.0

Large Bender



No.	Item code	Size (mm)
1	47-006	4.5 / 6.5

Container for Small Bone Plate System



Container for Large Bone Plate System

